QUICK REFERENCE LUBE & FILTER MAINTENANCE

CEE-JAY TOOL CUTTER	Daily		
Grease Top Jaw Guides			
Grease Top & Bottom Jaw Assy			
Grease Veneer Gage Assy if Applicable			

ROBIN GASOLINE ENGINE		CJ PART #	Daily	20 Hrs	50 Hrs.
Initial Engine Oil Change					
Check Level & Fill Engine Oil			\checkmark		
Change Engine Oil					√
Replace Oil Filter		64-60010			
Clean Air Filter					√
Replace Air Filter element	Inner element	64-60079			
	Outer element	64-60077			
Clean Fuel Filter		64-60025			

JOHN DEERE DIESEL		CJ PART #	Daily	100 Hrs	250 Hrs
Initial Engine Oil Change					
Check Level & Fill Engine Oil			\checkmark		
Change engine oil & replace oil filter El	ement	64-40060			\checkmark
Check Air Cleaner dust unloader valve indicator			\checkmark		
Replace Air Filter Element	Inner	64-40080			
	Outer	64-40090			
Check fuel filter/water separator bowl			\checkmark		
Replace fuel filter element	Element	64-40070			
	Separator Element	64-86548			

KUBOTA DIESEL	CJ PART #	Daily	50 Hrs	100 Hrs
Initial engine oil & filter change	64-50020		\checkmark	
Check Level & Fill Engine Oil				
Change Engine Oil & Replace Filter	64-50020			
Clean Air filter element				√
Replace Air Filter Element	64-50010			
Clean Fuel Filter Element				√
Replace Fuel Filter Element	64-50025			

HYDRAULIC POWER UNIT FILTERS	CJ PART #	All Hydraulic Tank Mou
M50 Stone Mason	30-30070	Check alarm on top of filter head daily
HDS Stone Mason	30-30001	color, change element immediatel
Chris Cutters	30-30001	into hydraulic system.

THIS IS NOT INTENDED TO BE A COMPLETE MAINTENANCE REFER TO MAINTENANCE MANUALS FOR DETAILED & COMPREHENSIVE MAINTENAN FAILURE TO ADHERE TO REQUIRED MAINTENANCE COULD VOID MANUFACTURER'S DAMAGE YOUR MACHINE OR ENGINE

200 Hrs	
\checkmark	

500 Hrs	As Reqd	

150 Hrs	400 Hrs	2000 Hrs
\checkmark		
		\checkmark
	√	

Inted Return Line Filters

v. When indicator is red in

y to avoid filter bypassing dirty fluid

